

A woman with dark hair tied back is smiling and relaxing in a bathtub filled with white bubbles. The background wall is dark wood-grain. To the right of the woman, a pink lotus flower is placed on the edge of the tub, and a tablet is partially visible.

Jomix

Ultimate bathing
experience

Jomix

A BRAND TO TRUST

Jomix
A BRAND TO TRUST



NILE SHOWER MIXER ROYAL JOMIX MODEL NO: 13484.03

The Nile shower mixer is uniquely designed and wonderfully crafted tap that has a matching bath filler and bath shower mixer to complete the look.

People often say that motivation doesn't last.
Well, neither does bathing- That's why we recommend it daily

Zig Ziglar



Jomix

Ultimate bathing
experience

2 YEARS WARRANTY MADE IN ITALY

JOMIX SHOWER SET - DIAMANTE - MODEL NO: JSD032

Pure balance between luxury, functionality and durability. Wonderfully crafted to entice every individual.

Content

TAPS MIXTURES & SANITARY FITTINGS

Lion Series	02
Royal Jomix Armaturen	03-04
Aristone Series	05-06
Shark Series	07
Rambo Series	08
Regent Economy Series	09
Regent Series	10
Thames Series	11
Volga Series	13
Don Series	14
Art Series	15
Nile Series	16

Mixtures & Shower Accessories

Jomix Shower Sets	17-18
-------------------------	-------

Shattaf & Flexibel Hoses

PVC & CP Shattaf	19
Shattaf Handle & Flexible Hose	20

Gratings

Junaid- S.S. Floor Gratings	21-22 -23
PVC Floor Gratings	24

Accessories

Joflush Flush Tank	25
Bottle Traps & Wastes	26
Concealed Bath & Shower Accessories	27
Pillar Cock	28
CP & Brass Fittings	29-30
Joflex Flexible Hoses	31
GI Clamps & Nipple	32
Hooks	33

Valves

Brass Gate Valve – Check Valve – Bibtaps	34
CP Handle Ball Valves – Float Valves – CP Concealed Gate Valves	35

Hammer Arrestor

Commercial Size Water Hammer Arrestor	36
---	----

Bibtaps

Brass Bibtaps & Stopcocks	37
Brass Bibtaps	38

Pressure Kit

AIWE Automatic Pressure Kit	39
-----------------------------------	----

Pumps

Astrom Water Pumps	40
--------------------------	----

Accessories

Ventilating Fan – Water Meter – Float Switch	41
--	----

Water Filters

AIWE Water Filters	42
--------------------------	----

Accessories

Bath Tub Over Flow – Crystal Mirror – Seat Cover	43
CP Angle Valves	44
Sanitary Ware	45-46-47



LION MODEL:L6010
CP PILLAR TAP SINGLE (BASIN MOUNTED)
PCS./ CRTN. 40



LION MODEL:L6011
CP SINGLE HOLE WASH BASIN MIXER
PCS./ CRTN. 40



LION MODEL:L6012
CP SINK MIXER (WALL MOUNTED)
PCS./ CRTN. 12



LION MODEL:L6013
CP BATH / SHOWER MIXER
PCS./ CRTN. 12



LION MODEL:L6014
CP PILLAR TAP SINGLE (WALL MOUNTED)
PCS./ CRTN. 12



ROYAL JOMIX ARMATUREN MODEL:A1036
CP PILLAR TAP(WALL MOUNTED)
PCS./ CRTN. 40



ROYAL JOMIX ARMATUREN MODEL:A1030
CP SINGLE HOLE WASH BASIN MIXER WITH
RIGID TUBE / FLEXIBLE
PCS./ CRTN. 12



ROYAL JOMIX ARMATUREN MODEL:A1032
CP TWO HOLE WASH BASIN BRIDGE MIXER
PCS./ CRTN. 12



ROYAL JOMIX ARMATUREN MODEL:A1037
CP BODY BIBCOCK 1/2 x 15 CM
PCS./ CRTN. 40



ROYAL JOMIX ARMATUREN MODEL:A1035
CP PILLAR TAP (BASIN MOUNTED)
PCS./ CRTN. 40



ROYAL JOMIX ARMATUREN MODEL:A1034
CP SINK MIXER (WALL MOUNTED)
PCS./ CRTN. 12





ROYAL JOMIX ARMATUREN **MODEL:A1033**
BATH / SHOWER MIXER
PCS./ CRTN. 12



ROYAL JOMIX ARMATUREN **MODEL:A1038**
CP BIBCOCK 1/2X 10 CM
PCS./ CRTN. 40



ROYAL JOMIX ARMATUREN **MODEL:10490**
JOMIX PUSH TYPE PILLAR COCK
(SINK MOUNTED)
PCS./ CRTN. 40



ROYAL JOMIX ARMATUREN **MODEL:10420**
JOMIX PUSH TYPE PILLAR COCK
(WALL MOUNTED)
PCS./ CRTN. 40



ARISTONE **MODEL:A4015**
CP BATH / SHOWER MIXER
PCS./ CRTN. 12



ARISTONE **MODEL:A4012**
CP SINGLE HOLE WASH BASIN MIXER WITH
RIGID TUBE / FLEXIBLE
PCS./ CRTN. 12



ARISTONE **MODEL:A4013**
SINK MIXER (WALL MOUNTED)
PCS./ CRTN. 12



ARISTONE **MODEL:A4014**
CP TWO HOLE WASH BASIN BRIDGE MIXER
PCS./ CRTN. 12



ARISTONE **MODEL:A4020**
BASIN TAP STELLA
PCS./ CRTN. 40



ARISTONE **MODEL:A4010**
CP PILLAR TAP (WALL MOUNTED)
PCS./ CRTN. 12



Jomix
Ultimate bathing
experience



Jomix
Ultimate bathing
experience



ARISTONE MODEL:A4021
BASIN TAP UMB
PCS./ CRTN. 40



ARISTONE MODEL:A4011
PILLAR TAP (BASIN MOUNTED)
PCS./ CRTN. 40



ARISTONE MODEL:A4022
BASIN TAP FD
PCS./ CRTN. 40



ARISTONE MODEL:A4023
BASIN TAP
PCS./ CRTN. 40



ARISTONE MODEL:A4024
BASIN TAP STELLA
PCS./ CRTN. 40



SHARK MODEL:S5014
CP SINGLE LEVER SINK MIXER
PCS./ CRTN. 10



SHARK MODEL:S5010
CP SINGLE LEVER WASH BASIN MIXER
PCS./ CRTN. 10



SHARK MODEL:S5011
CP SINGLE LEVER BATH/
SHOWER MIXER WITH SHOWER KIT
PCS./ CRTN. 10



SHARK MODEL:S5015
CP SINGLE LEVER SALOON MIXER
PCS./ CRTN. 10




SHARK MODEL:S5013
CP SINGLE LEVER BATH / SHOWER MIXER
WITH LONG SPOUT
PCS./ CRTN. 10



SHARK MODEL:S5012
CP SINGLE LEVER SINK MIXER
(WALL MOUNTED)
PCS./ CRTN. 10





RAMBO MODEL:R5003
CP SINGLE LEVER SINK MIXER
PCS./ CRTN. 12

RAMBO MODEL:R5000
CP SINGLE LEVER WASH BASIN MIXER
PCS./ CRTN. 12

RAMBO MODEL:R5001
CP SINGLE LEVER BATH /
SHOWER MIXER WITH SHOWER KIT
PCS./ CRTN. 12



RAMBO MODEL:R5002
CP SINGLE LEVER BATH / SHOWER MIXER
WITH LONG SPOUT
PCS./ CRTN. 12

RAMBO MODEL:R5004
CP SINGLE LEVER SINK MIXER WITH LONG
SPOUT
PCS./ CRTN. 20



REGENT ECONOMY MODEL:E1010
CP SINGLE LEVER WASH BASIN MIXER
PCS./ CRTN. 12

REGENT ECONOMY MODEL:E1011
CP SINGLE LEVER SINK MIXER
(SINK MOUNTED)
PCS./ CRTN. 12

REGENT ECONOMY MODEL:E1012
CP SINGLE LEVER SINK MIXER
(WALL MOUNTED)
PCS./ CRTN. 12



REGENT ECONOMY MODEL:E1013
CP SINGLE LEVER BATH / SHOWER MIXER
(WALL MOUNTED)
PCS./ CRTN. 12

REGENT ECONOMY MODEL:E1014
CP SINGLE LEVER BIDET MIXER
PCS./ CRTN. 12





Jomix
A BRAND TO TRUST

 THAMES SERIES

Jomix
A BRAND TO TRUST



THAMES BASIN MIXER MODEL: 10201-82

PCS./ CRTN. 10



THAMES BRASS SINK MIXER LONG SPOUT MODEL: 10206-82

PCS./ CRTN. 10



THAMES SINK MIXER S/L WALL TYPE MODEL: 10207-82

PCS./ CRTN. 10



THAMES SHOWER MIXER JOMIX MODEL: 10203-82

PCS./ CRTN. 10



THAMES CP S/L BIDET MIXER MODEL: 10208-82

PCS./ CRTN. 10



THAMES SINK MIXER FLOOR MOUNTED MODEL: 10205-82

PCS./ CRTN. 10



THAMES BATHTUB OVER FLOW JOMIX MODEL:

Jomix



VOLGA BIDET MIXER MODEL: 10108-81

PCS./ CRTN. 10



VOLGA SINK MIXER FLOOR MOUNTED MODEL: 10105-81

PCS./ CRTN. 10



VOLGA BASIN MIXER MODEL: 10101-81

PCS./ CRTN. 10



VOLGA BRASS SINK MIXER LONG SPOUT MODEL: 10106-81

PCS./ CRTN. 10



VOLGA SHOWER MIXER MODEL: 10103-81

PCS./ CRTN. 10




VOLGA SINK MIXER S/L MODEL: 10107-81

PCS./ CRTN. 10

Jomix

Bathing essentials



Jomix

Ultimate bathing experience



DON BIDET MIXER MODEL: 10908-79

PCS./ CRTN. 10



DON BASIN MIXER MODEL: 10901-79

PCS./ CRTN. 10



DON SHOWER MIXER MODEL: 10903-79

PCS./ CRTN. 10



TISA SHOWER MIXER MODEL: ART.10111

PCS./ CRTN. 10



TISA WASH BASIN MIXER MODEL: ART.10112

PCS./ CRTN. 10



TISA SINK MIXER MODEL: ART.10113

PCS./ CRTN. 10



DON BRASS SINK MIXER LONG SPOUT MODEL: 10906-79

PCS./ CRTN. 10



DON SINK MIXER FLOOR MODEL: 10905-79

PCS./ CRTN. 10



DON SINK MIXER WALL MOUNTED MODEL: 1050N

PCS./ CRTN. 10



TISA SINK MIXER (WALL MOUNTED) LONG SPOUT MODEL: ART10114

PCS./ CRTN. 10





NILE BRASS SINK MIXER
WALL TYPE ROYAL JOMIX **MODEL:13484.04**

PCS./ CRTN. 08



NILE BASIN MIXER
W/45CM SS KNITTED
JOMIX **MODEL:13484.01**

PCS./ CRTN. 10



NILE SHOWER MIXER
ROYAL JOMIX **MODEL:13484.03**

PCS./ CRTN. 08



NILE SINK MIXER
W/45CM SS KNITTED
JOMIX **MODEL:13484.02**

PCS./ CRTN. 08



DIAMANTE **MODEL:JSD032**

COMPLETE SLIDING RAIL

FEATURES

- ANTICALCARE / ANTITIME
- 5 DIFFERENT SPEED
- WATER SAVING 9LT / MIN
- FINE CHROME FINISHED
- FLAT CURVED TUBE WITH SOAP DISH
- HAND SHOWER AND WATER CONNECTION

PCS./ CRTN. 10



KIT DIAMANTE **MODEL:JSD006**

COMPLETE SLIDING RAIL, HAND SHOWER,
STAND AND HOSE

FEATURES

- ANTICALCARE / ANTITIME
- 5 DIFFERENT SPEED
- WATER SAVING 9LT / MIN
- FINE CHROME FINISHED

PCS./ CRTN. 25



CP SHOWER HOSE **MODEL:JFLX160**

160 CM, SUPERIOR QUALITY PVC HOSE
CHROME WITH 8 LONGITUDINAL THREADS,
BRASS CONICAL CONNECTIONS CHROME
PLATED WITH ANTITWIST SYSTEM WITH
WATER SAVING FLOW REGULATOR 9LT/MIN
PCS./ CRTN. 40





MODEL:90050

HAND SHOWER KIT
COMPLETE SLIDING RAIL
FEATURES

- THREE DIFFERENT POSITION
 - RAIN
 - JET
 - MASSAGE
- FINE CHROME FINISHED
- SHOCK PROOF
- COOL TOUCH
- FLAT TUBE WITH SOAP DISH
- CHROME HOSE 160 CM

PCS./ CRTN. 10



MODEL:1042
PCS./ CRTN. 50



MODEL:90052

FEATURES

- THREE DIFFERENT POSITION
 - RAIN
 - JET
 - MASSAGE
- FINE CHROME FINISHED
- SHOCK PROOF
- COOL TOUCH

PCS./ CRTN. 50



MODEL:90051

FEATURES

- THREE DIFFERENT POSITION
 - RAIN
 - JET
 - MASSAGE
- FINE CHROME FINISHED
- SHOCK PROOF
- COOL TOUCH
- CHROME HOSE 160 CM

PCS./ CRTN. 20



MODEL:JRW005
MODEL:JRW006

SHATTAF RUBY
FEATURES

- SHUT OFF SHOWER IN ABS ANTI-STAIN
- PVC FLEXIBLE HOSE REINFORSED 120CM WITH ANTI-TWIST SYSTEM
- WALL SUPPORT IN ABS WITH SCREW SET
- 3 YEARS GUARANTEE

PCS./CRTN 40 40

COLOUR: WHITE / BLACK
MODEL: JRW005 / JRW006



MODEL:SP1054

SHATTAF JOMIX PLUS
SHATAFF PVC WITH WHITE HANDLE AND FINE CHROME HOSE
PCS./CRTN 50



MODEL:SB1051
MODEL:SB1050

SHATTAF
SHATTAF PVC HANDLE WITH PVC FLEXIBLE HOSE - IVORY
COLOUR: WHITE / BLACK
MODEL: SB1051 / SB1050
PCS./CRTN 50 50



MODEL:SB1052

SHATTAF
SHATAFF CHROME HANDLE WITH CP FLEXIBLE HOSE
PCS./CRTN 20



MODEL:JBSA001

SHATTAF
BRASS SHATAFF CHROME PLATED WITH ANGLE VALVE & CP FLEXIBLE HOSE
PCS./CRTN 20



SHATTAF HANDLE PVC MODEL:SP1055

WHITE
PCS./CRTN 50



SHATTAF HANDLE PVC MODEL:SP1056

BLACK
PCS./CRTN 50



SHATTAF HANDLE PVC MODEL:SH1053

PCS./CRTN 100



SHATTAF HANDLE PVC MODEL:SH1055

PCS./CRTN 100



SHATTAF HANDLE CP MODEL:SH1054

PCS./CRTN



JOFLEX - BIDET/NOZZLE FLEXIBLE HOSES MODEL:N1140

AVAILABLE LENGTHS - 90CM / 120CM


PCS./CRTN 50



JOFLEX - CP SHOWER FLEXIBLE HOSES MODEL:S1130

AVAILABLE LENGTHS - 90CM / 120CM / 150CM

PCS./CRTN 50




STAINLESS STEEL GRATING (WITH STAINLESS STEEL HINGED DOOR COVER) MODEL:J-160

FEATURES

- MATERIAL - STAINLESS STEEL
- GRADE AISI 304 (NON MAGNETIC)
- ALSO AVAILABLE IN STAINLESS STEEL GRADE AISI 316 - IF REQUIRED
- SUITABLE FOR VARIOUS INNER DIAMETER OF PVC PIPE
- EXCELLENT WORKMANSHIP WITH MIRROR/BRUSH FINISH
- 20 YEARS GUARANTEE

OVERALL DIA	150
INNER DIA	105
HEIGHT	130

PCS./CRTN 20
ALL DIMENSION IN MM



STAINLESS STEEL GRATING WITH PUSH TYPE COVER (FOOT) MODEL:J-161

FEATURES

- MATERIAL - STAINLESS STEEL
- GRADE AISI 304 (NON MAGNETIC)
- ALSO AVAILABLE IN STAINLESS STEEL GRADE AISI 316 - IF REQUIRED
- SUITABLE FOR VARIOUS INNER DIAMETER OF PVC PIPE
- EXCELLENT WORKMANSHIP WITH MIRROR/BRUSH FINISH
- 20 YEARS GUARANTEE

D	102.6
D-1	105
D-2	98
H-1	20
H-2	02

PCS./CRTN 20
ALL DIMENSION IN MM




STAINLESS STEEL FLOOR STRAINER 3 PC (BASE PLATE + GRATE + COVER)

FEATURES


- MATERIAL - STAINLESS STEEL
- GRADE AISI 304 (NON MAGNETIC)
- ALSO AVAILABLE IN STAINLESS STEEL GRADE AISI 316 - IF REQUIRED
- UPON REQUEST ABOVE STRAINER ALSO AVAILABLE WITH TWO STAINLESS STEEL COUNTER SUNK SCREW FIXED ON GRATE
- SUITABLE FOR VARIOUS INNER DIAMETER OF PVC PIPE
- EXCELLENT WORKMANSHIP WITH MIRROR/BRUSH FINISH
- PACKING: EACH SET OF STRAINER PACKED IN A POLY-BAG AND THEN IN A CARDBOARD BOX AND SUCH 20 BOXES OF 6"X6" AND 10 BOXES OF 8"X8" ARE PACKED IN A STRONG CARTON

PCS./CRTN 20



MODEL	D	D-1	D-2	H-1	H-2
J-151	100.00	150	96.00	18.00	2.00
J-152	102.60	150	98.00	22.25	2.00
J-153	120.00	150	115.50	22.00	2.00
J-201	100.00	200	96.00	18.00	2.00
J-202	102.60	200	98.00	22.25	2.00
J-203	120.00	200	115.50	22.00	2.00

ALL DIMENSION IN MM



STAINLESS STEEL CLEAN OUT - 2PC WITH S.S. SCREW
(BASE PLATE WITH COVER) 20 YEARS GUARANTEE

FEATURES

- MATERIAL - STAINLESS STEEL
- GRADE AISI 304 (NON MAGNETIC)
- ALSO AVAILABLE IN STAINLESS STEEL GRADE AISI 316 - IF REQUIRED
- SUITABLE FOR VARIOUS INNER DIAMETER OF PVC PIPE
- EXCELLENT WORKMANSHIP WITH MIRROR FINISH
- PACKING: EACH SET OF STRAINER PACKED IN A POLY-BAG AND THEN IN A CARDBOARD BOX AND SUCH 20 BOXES OF 6"X6" AND 10 BOXES OF 8"X8" ARE PACKED IN A STRONG CARTON
- 20 YEARS GUARANTEE

MODEL	D	D-1	D-2	H-1	H-2
J-154	100.00	150	96.00	18.00	2.00
J-155	102.60	150	98.00	22.25	2.00
J-156	120.00	150	115.50	22.00	2.00
J-204	100.00	200	96.00	18.00	2.00
J-205	102.60	200	98.00	22.25	2.00
J-206	120.00	200	115.50	22.00	2.00
J-792	51.50	79	47.50	14.50	2.00

ALL DIMENSION IN MM

PCS./CRTN 20



STAINLESS STEEL GRATING

MODEL: J0163

FEATURES

- MATERIAL - STAINLESS STEEL
- GRADE AISI 304 (NON MAGNETIC)
- ALSO AVAILABLE IN STAINLESS STEEL GRADE AISI 316 - IF REQUIRED
- SUITABLE FOR VARIOUS INNER DIAMETER OF PVC PIPE
- EXCELLENT WORKMANSHIP WITH MIRROR/BRUSH FINISH
- 20 YEARS GUARANTEE

OVERALL DIA	150
INNER DIA	105
HEIGHT	130

PCS./CRTN 20
ALL DIMENSION IN MM

STAINLESS STEEL MIRROR FINISH GRATING


MODEL: J0164

FEATURES

- MATERIAL - STAINLESS STEEL
- GRADE AISI 304 (NON MAGNETIC)
- ALSO AVAILABLE IN STAINLESS STEEL GRADE AISI 316 - IF REQUIRED
- SUITABLE FOR VARIOUS INNER DIAMETER OF PVC PIPE
- EXCELLENT WORKMANSHIP WITH MIRROR/BRUSH FINISH
- 20 YEARS GUARANTEE

D	102.6
D-1	105
D-2	98
H-1	20
H-2	02

PCS./CRTN 20
ALL DIMENSION IN MM



STAINLESS STEEL FLOOR STRAINER WITHOUT COVER
(BASE PLATE WITH GRATE - 2 PC WITH S.S. SCREW)

FEATURES

- MATERIAL - STAINLESS STEEL
- GRADE AISI 304 (NON MAGNETIC)
- ALSO AVAILABLE IN STAINLESS STEEL GRADE AISI 316 - IF REQUIRED
- SUITABLE FOR VARIOUS INNER DIAMETER OF PVC PIPE
- EXCELLENT WORKMANSHIP WITH MIRROR/BRUSH FINISH
- PACKING: EACH SET OF STRAINER PACKED IN A POLY-BAG AND THEN IN A CARDBOARD BOX AND SUCH 20 BOXES OF 6"X6" AND 10 BOXES OF 8"X8" ARE PACKED IN A STRONG CARTON

MODEL	D	D-1	D-2	H-1	H-2
J-157	100.00	150	96.00	18.00	2.00
J-158	102.60	150	98.00	22.25	2.00
J-159	120.00	150	115.50	22.00	2.00
J-207	100.00	200	96.00	18.00	2.00
J-208	102.60	200	98.00	22.25	2.00
J-209	120.00	200	115.50	22.00	2.00
J-791	51.50	79	47.50	14.50	2.00

ALL DIMENSION IN MM

PCS./CRTN 20



STAINLESS STEEL FLOOR STRAINER

MODEL: J0162

FEATURES

- MATERIAL - STAINLESS STEEL
- GRADE AISI 304 (NON MAGNETIC)
- ALSO AVAILABLE IN STAINLESS STEEL GRADE AISI 316 - IF REQUIRED
- UPON REQUEST ABOVE STRAINER ALSO AVAILABLE WITH TWO STAINLESS STEEL COUNTER SUNK SCREW FIXED ON GRATE
- SUITABLE FOR VARIOUS INNER DIAMETER OF PVC PIPE
- EXCELLENT WORKMANSHIP WITH MIRROR/BRUSH FINISH
- PACKING: EACH SET OF STRAINER PACKED IN A POLY-BAG AND THEN IN A CARDBOARD BOX AND SUCH 20 BOXES OF 6"X6" AND 10 BOXES OF 8"X8" ARE PACKED IN A STRONG CARTON

PCS./CRTN 100



STAINLESS STEEL

MODEL: L700 / L800 / L900

FEATURES

- MATERIAL - STAINLESS STEEL
- GRADE AISI 304 (NON MAGNETIC)

PCS./CRTN 01



PVC GRATING

MODEL: J130

SIZE 6X6"



PVC GRATING

MODEL: J311

SIZE 6X6"



JOFLUSH

MODEL: FJ1068

PVC HIGH LEVEL FLUSH TANK WITH FITTINGS

PCS./CRTN 01

AVAILABLE COLOURS
WHITE - IVORY - BLUE - PINK



FLUSH TANK MECHANISM

MODEL: WS1066

SIDE INLET

PCS./CRTN 20



FLUSH TANK MECHANISM

MODEL: WS1067

BOTTOM INLET

PCS./CRTN 20



MODEL: CB1060
MODEL: CB1061

BOTTLE TRAP

CP BOTTLE TRAP WITHOUT WASTE

PCS./CRTN 50

SIZE (INCH)	1-1/4"	1-1/2"
MODEL	CB1060	CB1061



MODEL: PB1064

BOTTLE TRAP

PVC DOUBLE BOTTLE TRAP

PCS./CRTN 20

SIZE (INCH) 1-1/2"



MODEL: PB1062
MODEL: PB1063

BOTTLE TRAP

PVC SINGLE BOTTLE TRAP WITH WASTE

PCS./CRTN 50

SIZE (INCH)	1-1/4"	1-1/2"
MODEL	PB1062	PB1063



MODEL: PB1064

BOTTLE TRAP

PVC DOUBLE BOTTLE TRAP

PCS./CRTN 20

SIZE (INCH) 1-1/2"



MODEL: PB1064

WASTE FITTINGS

PVC WASTE

PCS./CRTN 200

SIZE (INCH) 1-1/4" | 1-1/2"



MODEL: PB1064

BOTTLE TRAP

PVC DOUBLE BOTTLE TRAP

PCS./CRTN 20

SIZE (INCH) 1-1/2"



COMPLETE SLIDING RAIL, HAND SHOWER, STAND AND HOSE

FEATURES

- ▶ ANTICALCARE / ANTITIME
- ▶ 5 DIFFERENT SPEED
- ▶ WATER SAVING 9LT / MIN
- ▶ FINE CHROME FINISHED

PCS./ CRTN. 20



COMPLETE SLIDING RAIL

FEATURES

- ▶ ANTICALCARE / ANTITIME
- ▶ 5 DIFFERENT SPEED
- ▶ WATER SAVING 9LT / MIN
- ▶ FINE CHROME FINISHED
- ▶ FLAT CURVED TUBE WITH SOAP DISH
- ▶ HAND SHOWER AND WATER CONNECTION

PCS./ CRTN. 10



SINK MOUNTED PILLAR COCK JOMIX **MODEL: KE51000FI**

PCS./ CRTN. 40


PILLAR COCK LEVER TYPE JOMIX **MODEL: KE52000FI**

PCS./ CRTN. 40



CP FEMALE THREADED TEE **MODEL:T3300**

SIZES 1/2"
PCS./ CRTN. 150



CP FEMALE THREADED ELBOW **MODEL:E3400**

SIZES 1/2"
PCS./ CRTN. 150




CP MALE / FEMALE EXTENSION NIPPLE **MODEL:N3500**

SIZES 1/2" X 5MM PCS./CRTN. 250
SIZES 1/2" X 10MM PCS./CRTN. 250
SIZES 1/2" X 15MM PCS./CRTN. 250
SIZES 1/2" X 20MM PCS./CRTN. 250
SIZES 1/2" X 25MM PCS./CRTN. 250
SIZES 1/2" X 30MM PCS./CRTN. 250
SIZES 1/2" X 40MM PCS./CRTN. 100
SIZES 1/2" X 50MM PCS./CRTN. 100



CP REDUCER EXTENSION NIPPLE **MODEL:N3600**

SIZES 1/2" M X 3/4" F X 10MM PCS./CRTN. 250
SIZES 1/2" M X 3/4" F X 15MM PCS./CRTN. 250
SIZES 1/2" M X 3/8" F X 10MM PCS./CRTN. 250
SIZES 1/2" M X 3/8" F X 15MM PCS./CRTN. 250



CP ROSETTE/ CHAMBER COVER **MODEL:C4100**

SIZES 1/2" X 5MM PCS./CRTN. 3000
SIZES 1/2" X 10MM PCS./CRTN. 2000
SIZES 1/2" X 15MM PCS./CRTN. 1000



CP CONICAL NUT **MODEL:N3700**

SIZES 1/2" X 3/8" X 10MM PCS./ CRTN. 250



CP CONNECTOR **MODEL:N3800**

SIZES 1/2" X 3/8" PCS./ CRTN. 250



CP BRASS REDUCER BUSH **MODEL:N3900**

SIZES 1/2" M X 3/8" F PCS./CRTN. 250
SIZES 3/4" M X 1/2" F PCS./CRTN. 250
SIZES 1" M X 1/2" F PCS./CRTN. 100
SIZES 1" M X 3/4" F PCS./CRTN. 100
SIZES 1-1/4" M X 1" F PCS./CRTN. 100
SIZES 1-1/4" M X 1/2" F PCS./CRTN. 100
SIZES 1-1/4" M X 3/4" F PCS./CRTN. 100
SIZES 1-1/2" M X 1/2" F PCS./CRTN. 100
SIZES 1-1/2" M X 3/4" F PCS./CRTN. 100
SIZES 1-1/2" M X 1" F PCS./CRTN. 100
SIZES 1-1/2" M X 1-1/4" F PCS./CRTN. 100



CP REDUCER NIPPLE **MODEL:R4000**

SIZES 1/2" X 3/8" PCS./ CRTN. 250



CP MALE THREADED NIPPLE **MODEL:N3200**

SIZES 1/2" PCS./CRTN. 250
SIZES 3/4" PCS./CRTN. 250
SIZES 1" PCS./CRTN. 100



BRASS MALE THREADED NIPPLE **MODEL:B3000**

SIZES 1/2" PCS./CRTN. 250
SIZES 3/4" PCS./CRTN. 250
SIZES 1" PCS./CRTN. 100



BRASS TANK CONNECTOR **MODEL:T3100**

SIZES 1/2" PCS./CRTN. 250
SIZES 3/4" PCS./CRTN. 200
SIZES 1" PCS./CRTN. 100
SIZES 1/4" PCS./CRTN. 50
SIZES 1/2" PCS./CRTN. 40
SIZES 2" PCS./CRTN. 30




CP SPINDLE WITH KNOB **MODEL:S1320**

PCS./ CRTN. 100



FEXELBAW WITH BOX
SIZES 16/1/2" PCS./ CRTN. 100



S.S RIMER FLEXIBLE TUBE FULL WAVY WITH HEX NUT 1/2" F X F **MODEL:R1110**

SIZES 30CM PCS./CRTN. 200
SIZES 45CM PCS./CRTN. 200
SIZES 60CM PCS./CRTN. 200



S.S RIMER FLEXIBLE TUBE FULL WAVY WITH HEX NUT 1/2" M X 1/2" F **MODEL:R1150**

SIZES 45CM PCS./CRTN. 200



CP FLEXIBLE TUBE WITH HEX NUT 1/2" F X F **MODEL:CP1090**

SIZES 30CM PCS./CRTN. 200
SIZES 45CM PCS./CRTN. 200
SIZES 60CM PCS./CRTN. 200
SIZES 90CM PCS./CRTN. 100
SIZES 120CM PCS./CRTN. 100
SIZES 150CM PCS./CRTN. 100



PVC FLEXIBLE HOSE WITH HEX NUT 1/2" FX F **MODEL:P1120**

SIZES 30CM PCS./CRTN. 200
SIZES 45CM PCS./CRTN. 200
SIZES 60CM PCS./CRTN. 200
SIZES 90CM PCS./CRTN. 100
SIZES 120CM PCS./CRTN. 100
SIZES 150CM PCS./CRTN. 100



JOFLEX STAINLESS STEEL KNITTED FLEXIBLE WITH BRASS NUT **MODEL:SS1100**

SIZES 30CM PCS./CRTN. 250
SIZES 45CM PCS./CRTN. 250
SIZES 60CM PCS./CRTN. 250
SIZES 90CM PCS./CRTN. 100
SIZES 120CM PCS./CRTN. 100



JOFLEX COPPER FLEXIBLE WITH BRASS NUT **MODEL:J1100**

SIZES 30CM PCS./CRTN. 250
SIZES 45CM PCS./CRTN. 250
SIZES 60CM PCS./CRTN. 250
SIZES 90CM PCS./CRTN. 100
SIZES 120CM PCS./CRTN. 100



JOFLEX SS KNITTED MIXER FLEXIBLE 1/2" X 3/8" **MODEL:SS1145**

SIZES 45 CM PCS./CRTN. 100
SIZES 60 CM PCS./CRTN. 100

COLOURS
BLACK
RED
BLUE



JOFLEX COLOURED FLEXIBLE WITH BRASS NUTS **MODEL:SS1145**

SIZES 45CM PCS./CRTN. 250
SIZES 60CM PCS./CRTN. 250
COLOUR
BLACK & SILVER /BLUE & SILVER /RED & SILVER



JOFLEX RIGID FLEXIBLE **MODEL:J1000**

SIZES 30 CM PCS./CRTN. 250
SIZES 45 CM PCS./CRTN. 250
SIZES 60 CM PCS./CRTN. 250



MODEL:H2200

CLAMPS
GI RUBBER LINED CLAMPS WITH 8MM NUT

SIZES 1/2"	PCS./CRTN. 500
SIZES 3/4"	PCS./CRTN. 250
SIZES 1"	PCS./CRTN. 200
SIZES 1-1/4"	PCS./CRTN. 250
SIZES 1-1/2"	PCS./CRTN. 200
SIZES 2"	PCS./CRTN. 150
SIZES 3"	PCS./CRTN. 150
SIZES 4"	PCS./CRTN. 150
SIZES 6"	PCS./CRTN. 100



MODEL:N2100

GI NAIL CLAMPS

SIZES 1/2"	PCS./CRTN. 500
SIZES 3/4"	PCS./CRTN. 500
SIZES 1"	PCS./CRTN. 400
SIZES 1-1/4"	PCS./CRTN. 300
SIZES 1-1/2"	PCS./CRTN. 300
SIZES 2"	PCS./CRTN. 250
SIZES 3"	PCS./CRTN. 150
SIZES 4"	PCS./CRTN. 100
SIZES 6"	PCS./CRTN. 50



MODEL:K2800

GI KIM NIPPLE

SIZES 1/2"	PCS./CRTN. 300
SIZES 3/4"	PCS./CRTN. 200
SIZES 1"	PCS./CRTN. 150
SIZES 1-1/4"	PCS./CRTN. 80
SIZES 1-1/2"	PCS./CRTN. 60
SIZES 2"	PCS./CRTN. 40
SIZES 2-1/2"	PCS./CRTN. 40
SIZES 3"	PCS./CRTN. 12
SIZES 4"	PCS./CRTN. 10



MODEL:L2900

GI LONG NIPPLE


SIZES 1/2" x 10	PCS./CRTN. 250
SIZES 3/4" x 10	PCS./CRTN. 100
SIZES 1/2" x 15	PCS./CRTN. 100
SIZES 3/4" x 15	PCS./CRTN. 100



WATER HEATER HOOK

MODEL:H2300


PCS./CRTN. 160



WASH BASIN HOOKS

MODEL:H2400

PCS./CRTN. 150



WC HOOKS

MODEL:H2500

PCS./CRTN. 200



BRASS GATE VALVE MODEL:J650

WORKING PRESSURE : PN-16

PART	MATERIAL
BODY	BRASS
STEM	BRASS
DISC	BRASS
BONNET	BRASS
LOCK NUT	BRASS ROD
PACKING	TEFLON
GLAND	BRASS ROD
PACKING NUT	BRASS
HAND WHEEL	ALUMINIUM
NAME PLATE	ALUMINIUM
HANDLE NUT	BRASS

SIZE (INCH)	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
WEIGHT (G)	217	329	503	780	1031	1754	2150	4800	5750
PCS./CRTN	100	100	50	40	40	32	10	01	01



BRASS SPRING CHECK VALVE VERTICAL - UK TYPE MODEL:J63

SIZE (INCH)	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
WEIGHT (G)	124	150	224	310	465	700
PCS./CRTN	120	120	100	60	40	30



BRASS FOOTVALVE WITH STRAINER - UK TYPE MODEL:J64

SIZE (INCH)	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
WEIGHT (G)	124	180	240	330	497	755
PCS./CRTN	120	120	100	60	40	30



CP HANDLE BALL VALVE MODEL:J505

PART	MATERIAL
BODY	BRASS
CAP	BRASS
STEM	BRASS ROD
BALL	BRASS CHROME PLATED
BALL SEAT	PTFE
STEM PACKING	PTFE
HANDLE	STEEL CHROME PLATED

SIZE (INCH)	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
WEIGHT (G)	369	666	815	1396			
PCS./CRTN	60	30	24	20	08	08	04



CP HANDLE BALL VALVE MODEL:J500

WORKING PRESSURE : PN-25

PART	MATERIAL
BODY	CHROME PLATED BRASS
CAP	BRASS
STEM	BRASS PLATED IRON
BALL	IRON
SEAT	PTFE
O RING	NBR
HANDLE	STEEL CHROME PLATED
HOSE	FULL

SIZE (INCH)	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
WEIGHT (G)	224	355	578	747	1172	1890	2300	5400	8400
PCS./CRTN	100	60	40	24	20	12	10	08	04



CP HANDLE BALL VALVE MODEL:J100

WORKING PRESSURE : PN-16

PART	MATERIAL
BODY	CHROME PLATED BRASS
CAP	BRASS
STEM	BRASS PLATED IRON
BALL	BRASS PLATED CHROME
BALL SEAT	PTFE
STEM PACKING	NBR
HANDLE	STEEL CHROME PLATED

SIZE (INCH)	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
WEIGHT (G)	172	300	426	655	994	1409
PCS./CRTN	120	80	60	40	30	20



CP CONCEALED GATE VALVE MODEL:CG1300
MODEL:CG1310

SIZE (INCH)	1/2"	3/4"
MODEL	CG1300	CG1310
PCS./CRTN	60	60



BRASS FLOAT VALVE WITH PLASTIC BALL MODEL:F800

SIZE (INCH)	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
PCS./CRTN	100	80	60	30	20	15

COMMERCIAL SIZE WATER HAMMER ARRESTOR



COMMERCIAL SIZE WATER HAMMER ARRESTOR

MODEL:

DIMENSIONS AND SIZES

ITEM #	SIZE	A(MM)	B	L1(MM)	L2(MM)
HA-050-A	A	28.57	1/2"NPT	154	117
HA-075-B	B	34.89	3/4"NPT	206.4	164.4
HA-100-C	C	41.20	1"NPT	220.6	170.6
HA-125-D	D	53.96	1 1/4"NPT	225.6	200.6
HA-150-E	E	66.86	1 1/2"NPT	284.1	225.1
HA-200-F	F	66.86	2"NPT	365	304

DESIGN FEATURES

- 1) Fine quality copper tube T2 and brass (lead free available)
- 2) Forged brass fittings
- 3) Brass machined piston with more stable performance
- 4) Polished and clean-paint surface, color permanently shiny and never rusty
- 5) NSF approved O rings with FDA approved silicon lubricant
- 6) Lead free solder

APPLICATION:

Water hammer arrestor are installed on water distribution system piping to prevent detrimental surge pressures within water distribution systems, thereby prolonging the service life of valves, piping, trim, equipment, appliances, appurtenances and other devices which are part of the distribution system; and to eliminate noise.

CERTIFICATION:



cUPC



ASSE1010



AB1953

TECHNICAL STANDARD

- 1) Max pressure : 400PSI
- 2) OPERATION PRESSURE : 0-60PSI
- 3) Working medium : Water
- 4) Working temperature : 33F-180F
- 5) NPT Male thread

SIZE

Type A, B, C, D, E, F is used for commercial field. System pressure up to 60PSI need installing a pressure reduce valve.



BIBCOCK

MODEL:JDG

BRASS HOSE BIBCOCK - T - HANDLE

SIZE (INCH)	1/2"	3/4"
WEIGHT (G)	199	356
PCS./CRTN	120	100



BIBCOCK UK TYPE

MODEL:JCB

BRASS BIBTAP - T - HANDLE

SIZE (INCH)	1/2"	3/4"
WEIGHT (G)	150	180
PCS./CRTN	120	100



HANDLE BIBCOCK WITH HOSE UNION (HD)

MODEL:J101

PART	MATERIAL
BODY	BRASS (NICKLE PLATED)
BALL	IRON (CHROME PLATED)
HANDLE	STEEL
STEM	BRASS

SIZE (INCH)	1/2"
WEIGHT (G)	175
PCS./CRTN	120



HANDLE BIBCOCK WITH HOSE UNION (HD)

MODEL:J102

PART	MATERIAL
BODY	BRASS (NICKLE PLATED)
HANDLE	ALUMINIUM
BALL	IRON (CHROME PLATED)
STEM	IRON ROD (BRASS PLATED)
NOZZLE	BRASS

SIZE (INCH)	1/2"	3/4"	1"
WEIGHT (G)	203	275	410
PCS./CRTN	120	80	60



BIBCOCK WITH SIDE LOCKING

MODEL:J50SL

PART	MATERIAL
BODY	BRASS
HANDLE	BRASS
STEM	BRASS

SIZE (INCH)	1/2"	3/4"
WEIGHT (G)	217	329
PCS./CRTN	100	100



HOSE BIBCOCK WITH FRONT LOCKING

MODEL:J50FL

PART	MATERIAL
BODY	ZINC (NICKLE PLATED)
HANDLE	STEEL
STEM	BRASS

SIZE (INCH)	1/2"	3/4"
WEIGHT (G)	160	200
PCS./CRTN	120	120



STOPCOCK UK TYPE MODEL:JSG

BRASS STOPCOCK FAT - T - HANDLE. BS1010

SIZE (INCH)	1/2"	3/4"
WEIGHT (G)	150	180
PCS./CRTN	80	50



STOPCOCK UK TYPE MODEL:JFS

BRASS STOP COCK FAT - T - HANDLE

SIZE (INCH)	1/2"	3/4"
WEIGHT (G)	150	180
PCS./CRTN	120	120



HANDLE BIBCOCK WITH HOSE UNION (HD) MODEL:J501

PART	MATERIAL
BODY	BRASS (NICKLE PLATED)
BALL	IRON (CHROME PLATED)
HANDLE	STEEL
STEM	BRASS

SIZE (INCH)	1/2"	3/4"	1"
WEIGHT (G)	244	323	378
PCS./CRTN	100	60	60



MODEL:J701

PART	MATERIAL
BODY	BRASS (NICKLE PLATED)
BALL	IRON (CHROME PLATED)
HANDLE	STEEL
STEM	BRASS

SIZE (INCH)	1/2"
WEIGHT (G)	244
PCS./CRTN	100



PRESSURE KIT MODEL:PB1071

CONSTANT PRESSURE REGULATOR KIT
AUTOMATIC - BLUE

SPECIFICATIONS

MINIMUM PRESSURE	10 BAR
CONTAINING THREAD	GI-ISO 228
OPERATING TEMPERATURE	0-60°
NORMAL VOLTAGE	1~ 220/240V
FREQUENCY	50/60 Hz
IP PROTECTION DEGREE	IP 54
MAX F/ON	10.2KG/CM ² 145PSI(MAX)
PCS./CRTN	12



PRESSURE KIT MODEL:PY1072

CONSTANT PRESSURE REGULATOR KIT
AUTOMATIC - YELLOW

SPECIFICATIONS

MINIMUM PRESSURE	10 BAR
CONTAINING THREAD	GI-ISO 228
OPERATING TEMPERATURE	0-60°
NORMAL VOLTAGE	1~ 220/240V
FREQUENCY	50/60 Hz
IP PROTECTION DEGREE	IP 54
MAX F/ON	10.2KG/CM ² 145PSI(MAX)
PCS./CRTN	12



PRESSURE KIT MODEL:PH1073

CONSTANT PRESSURE REGULATOR KIT
AUTOMATIC - BLUE HORIZONTAL

SPECIFICATIONS

MINIMUM PRESSURE	10 BAR
CONTAINING THREAD	GI-ISO 228
OPERATING TEMPERATURE	0-60°
NORMAL VOLTAGE	1~ 220/240V
FREQUENCY	50/60 Hz
IP PROTECTION DEGREE	IP 54
MAX F/ON	10.2KG/CM ² 145PSI(MAX)
PCS./CRTN	12



CENTRIFUGAL MONOBLOCK PUMPS MODEL:CPM158

CENTRIFUGAL MONOBLOCK PUMP'S VOLUTE CHAMBER AND IMPELLERS ARE CAREFULLY DESIGNED TO GIVE THE BEST POSSIBLE HYDRAULIC EFFICIENCY AND SUCTION LIFT CHARACTERISTICS.

SPECIFICATIONS	
POWER RANGE	0.37KW-1.5KW
SPEED	2900 RPM
VERSIONS	230V,50Hz A.C.SUPPLY PERMANENT SPLIT CAPACITOR (PSC) INBUILD THERMAL OVERLOAD PROTECTOR S1 (CONTINUOUS)
TYPE OF DUTY	
DEGREE OF PROTECTION	IP 54
INSULATION CLASS	F
SUCTION LIFT UPTO	7m
MAXIMUM LIQUID TEMPERATURE	50°C
MAXIMUM AMBIENT TEMPERATURE	40°C
DISCHARGE RANGE	1-31 M ³ /H
HEAD RANGE	6-33M
NOMINAL SUCTION SIZE	1",1-1/4",1-1/2",2",2-1/2"
NOMINAL DELIVERY SIZE	1",1-1/4",1-1/2",2"
PCS./CRTN	2 PCS

- FEATURES**
- HIGH OPERATING EFFICIENCY RESULTING IN LOWER POWER CONSUMPTION
 - GOOD SUCTION LIFT CHARACTERISTICS
 - DYNAMICALLY BALANCED ROTATING PARTS INCLUDING ROTOR AND IMPELLER
 - BALANCED AND RIGID CONSTRUCTIONS

PERIPHERAL PUMPS MODEL:ARM-60/ARM-80

PERIPHERAL PUMPS ARE SINGLE STAGE CENTRIFUGAL, NON-SELF PRIMING VOLUTE PUMPS CAREFULLY DESIGNED TO GIVE BEST POSSIBLE HYDRAULIC EFFICIENCY AND SUCTION LIFT CHARACTERISTICS.

SPECIFICATIONS	
POWER RANGE	0.37KW & 0.75KW
SPEED	2900 RPM
VERSIONS	A.C. SINGLE PHASE 220-240V - 50Hz PERMANENT SPLIT CAPACITOR (PSC) INCORPORATED WITH THERMAL OVERLOAD PROTECTOR CONTINUOUS
TYPE OF DUTY	
DEGREE OF PROTECTION	IP 44
INSULATION CLASS	"B"
FLOW RATE UPTO	0.87LPS/3.13M ³ /H
HEAD RANGE UPTO	243FT/74M
SUCTION LIFT UPTO	25FT/8M
NOMINAL SUCTION & DELIVERY SIZE	1"x1"(BSP)
MAXIMUM LIQUID TEMPERATURE	50°C
MAXIMUM AMBIENT TEMPERATURE	40°C
MAXIMUM OPERATING PRESSURE	6.2 BAR
PCS./CRTN	2 PCS

- FEATURES**
- STURDY AND COMPACT
 - QUIET AND MAINTENANCE FREE
 - EXCELLENT HYDRAULIC PERFORMANCE
 - OPTIMAL DESIGN
 - GOOD SUCTION CAPACITY
 - BRASS INSERT IS PROVIDED IN THE PUMP CASING
 - INCORPORATED WITH THERMAL OVERLOAD PROTECTOR
 - DYNAMICALLY BALANCED ROTATING PARTS



ASTRON VENTILATING FAN ROUND MODEL:VFR100

SPECIFICATIONS		
SIZE (INCH)	6"	8"
VOLTAGE	220V/240V	220V/240V
FREQUENCY	50Hz/60Hz	50Hz/60Hz
POWER	25W	25W
AIR FLOW	3.5M ³ /MIN	6M ³ /MIN
RPM	1900	1900
PCS./CRTN	20	10

- FEATURES**
- DURABLE BALL BEARING
 - THERMO FUSE PROTECTION
 - FULL COPPER WIND MOTOR
 - 1 YEAR WARRANTY



TEFLONE TAPE MODEL:T1039

JOMIX PTFE TEFLONE TAPE 1/2" X 10 MTR
PCS./CRTN 1000



WATER METER - IRON BODY MODEL:LXS15E
MODEL:LXS20E

MULTI JET DRY TYPE WATER METER WITH BLUE PAINTED CAST IRON BODY WITH BRASS NUTS AND BRASS NIPPLE

MODEL	LXS15E	LXS20E
SIZE (INCH)	1/2"	3/4"
PCS./CRTN	10	10



WATER METER - BRASS BODY MODEL:LXS13D2

BRASS BODY SINGLE JET DRY TYPE WATER METER WITH BRASS NUTS & BRASS NIPPLE

SIZE (INCH)	1/2"	3/4"
PCS./CRTN	20	20



AIWE MODEL:F1070

FLOAT SWITCH BLUE 2 MTR | 3 MTR | 5 MTR | 10 MTR
PCS./CRTN 20



AIWE WATER FILTER MODEL:F1074
WATER FILTER SINGLE
PCS./CRTN 12



AIWE WATER FILTER MODEL:F1075
WATER FILTER DOUBLE
PCS./CRTN 06



AIWE WATER FILTER MODEL:F1075
WATER FILTER TRIPLE
PCS./CRTN 04




FILTER CANDLE MODEL:UDF
FILTER CANDLE UDF
PCS./CRTN 25



FILTER CANDLE MODEL:CTO
FILTER CANDLE CTO
PCS./CRTN 25



FILTER CANDLE MODEL:COTTON
FILTER CANDLE COTTON
PCS./CRTN 100




FILTER CANDLE MODEL:FIBRE
FILTER CANDLE FIBRE
PCS./CRTN 100



BATH TUB OVERFLOW MODEL:BW1079
PVC BATH TUB OVERFLOW AUTOMATIC
1-1/2"
PCS./CRTN 25



BATH TUB OVERFLOW MODEL:BW1069
PVC BATH TUB OVERFLOW 1-1/2"
PCS./CRTN 40



MIRROR MODEL:M2600
MIRROR 60 X 40 CM X 6MM THICK
PCS./CRTN 10



SEAT COVER - HEAVY DUTY MODEL:SN1069
WC SEAT COVER JOMIX - MADE IN GERMANY
PCS./CRTN 07
AVAILABLE COLOURS
WHITE - IVORY - BLUE - PINK - GREY



ANGLE VALVE ROYAL SERIES MODEL: AV1200
CP ANGLE VALVE 1/2" X 1/2"
PCS./ CRTN. 120

ANGLE VALVE ROYAL SERIES MODEL: AV1210
CP ANGLE VALVE 1/2" X 3/8"
PCS./ CRTN. 120

ANGLE VALVE ROYAL SERIES - ZINC MODEL: AV1240
CP ANGLE VALVE 1/2" X 1/2"
PCS./ CRTN. 100



ANGLE VALVE ECONOMICAL SERIES - ZINC MODEL: AV1220
CP ANGLE VALVE 1/2" X 1/2"
PCS./ CRTN. 120

ANGLE VALVE ECONOMICAL SERIES MODEL: AV1230
CP ANGLE VALVE 1/2" X 1/2" QUARTER TURN
PCS./ CRTN. 120

ANGLE VALVE - VESBO MODEL: AV1250
PCS./ CRTN. 80



C-F216
Under Counter Basin
Size: 380 x 380 x 200mm
Under counter mounting

UNDER COUNTER BASIN MODEL: C-F216



C-F217
Under Counter Basin
Size: 480 x 420 x 200mm
Under counter mounting

UNDER COUNTER BASIN MODEL: C-F217



C-F218
Under Counter Basin
Size: 580 x 420 x 190mm
Under counter mounting

UNDER COUNTER BASIN MODEL: C-F218



C-F223
Under Counter Basin
Size: 420 x 340 x 200mm
Under counter mounting

UNDER COUNTER BASIN MODEL: C-F223



C-5046
Art Basin
Size: 610 x 480 x 180mm
Above counter mounting

ART BASIN MODEL: C-5046



C-7014
Pedestal Basin
Size: 600 x 310 x 820mm
Fitting to wall with back

PEDESTAL BASIN MODEL: C-7014



C-7019
Pedestal Basin
Size: 580 x 410 x 820mm
Fitting to wall with back

PEDESTAL BASIN MODEL: C-7019



C-7020
Pedestal Basin
Size: 660 x 480 x 820mm
Fitting to wall with back

PEDESTAL BASIN MODEL: C-7020



C-7033
Pedestal Basin
Size: 480 x 480 x 820mm
Fitting to wall with back

PEDESTAL BASIN MODEL: C-7033



C-7037
Pedestal Basin
Size: 470 x 470 x 820mm
Fitting to wall with back

PEDESTAL BASIN MODEL: C-7037



C-7103
Pedestal Basin
Size: 570 x 480 x 820mm
Fitting to wall with back

PEDESTAL BASIN MODEL: C-7103



C-7108
Pedestal Basin
Size: 580 x 440 x 820mm
Fitting to wall with back

PEDESTAL BASIN MODEL: C-7108



PEDESTAL BASIN MODEL: C-7001



WALL-HUNG BASIN MODEL: C-7029



WALL-HUNG URINAL MODEL: C-A001



SIPHONIC ONE-PIECE CLOSET MODEL: C-1015



SIPHONIC ONE-PIECE CLOSET MODEL: C-1026



SIPHONIC ONE-PIECE CLOSET MODEL: C-1038



WALL-HUNG URINAL MODEL: C-A004



WALL-HUNG URINAL MODEL: C-A006



WASHDOWN ONE-PIECE CLOSET MODEL: C-1058



SIPHONIC ONE-PIECE CLOSET MODEL: C-1039



SQUATTING PAN W.C. MODEL: C-B013



SQUATTING PAN W.C. MODEL: C-B019



WASHDOWN ONE-PIECE CLOSET MODEL: C-2009



WASHDOWN CLOSE COUCHED CLOSET MODEL: C-2010



WASHDOWN CLOSE COUCHED CLOSET MODEL: C-2012



SQUATTING PAN W.C. MODEL: C-B020



WALL-HUNG CLOSET MODEL: C-3003



WALL-HUNG CLOSET MODEL: C-3007



WALL-HUNG CLOSET MODEL: C-3011



Sanitary fittings & Accessories

www.junaidworld.com



JUNAID
SANT. ELECT. MAT. TR. (L.L.C.)



جنيد
جنيلاجاز لوازم التمديدات الكهربائيه (ش.ذ.م.م.)

Office no 302 Liberty Building Al Garhoud Dubai United Arab Emirates
P O Box 34862 Tel +971 4 2367723 Fax +97142367250